

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US


2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764




AALST

100
× 100
cm


Tip Sheared




AL09029-01




AL09029-02




AL09029-03



AL09029-04



AL09029-05



AL09029-06

+ COLORWAY




AL09026



AL09027



AL09028




AL09029




MALMO
60.96
× 60.96
cm

Multi-Level Loop


+ COLORWAY




ML 31171




ML 31172




ML 31176



ML 31173



ML 31174



ML 31175



WALES WT23115

WALES
60.96
× 60.96
cm

Multi-Level Loop



WALES WT23122

+ COLORWAY



WT 23122



WT 23121



WT 23118



WT 23117



WT 23116



WT 23115