

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764







ANGKOR

60.96
× 60.96
cm


Multi-Level Loop




AK36048-01



AK36048-02




AK36048-03




AK36048-04

+ COLORWAY




AK36048



AK36197



AK36198



AK36199



CARDIFF

50.00
× 50.00
cm

Textured Loop

+ COLORWAY




CF22112




CF22113



CF22114



CF22129



CF22120



CF22111



SALZBURG

60.96
× 60.96
cm

Multi-Level Loop

+ COLORWAY



SU38211



SU38212



SU38210



SU38209