

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China


399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764





ATHENS
30.48
× 91.44
cm

Multi-Level Loop



AN03015-01



AN03015-02



AN03015-04




AN03015-03



AN03015-05

+ COLORWAY



AN03018



AN03017



AN03015



AN03016



LUND
100
× 100
cm

Multi-Level Loop



LD02049 -01



LD02049 -02



LD02049 -03



LD02049 -04



LD02049 -05

+ COLORWAY




LD02049



LD02050




LD02051



LD02052



LD02053



LD02054



COOK
60.96
× 60.96
cm

Multi-Level Loop



CK05142 -01



CK05142 -02



CK05142 -03



CK05142 -04



CK05142 -05



CK05142 -06

+ COLORWAY



CK05137




CK05138




CK05139



CK05140



CK05141



CK05142

COOK CK05142