

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764





GHENT GT26131


GHENT
60.96
× 60.96
cm

Tip Sheared




GHENT GT26133

+ COLORWAY




GT26136




GT26132




GT26131



GT26134



GT26133



GT26135




ARLINGTON

60.96
× 60.96
cm

Multi-Level Loop



AT04024 -01




AT04024 -02



AT04024 -03



AT04024 -04



AT04024 -05



AT04024 -06

+ COLORWAY




AT04022



AT04021



AT04023




AT04024




HEVIZ
30.48
× 91.44
cm


Multi-Level Loop




HZ39216-01




HZ39216-04




HZ39216-02



HZ39216-05




HZ39216-03




HZ39216-06


+ COLORWAY




HZ39218



HZ39217



HZ39216



HZ39215