



Newspec®

INFINITY DYE™
DIGITAL DYE INJECTION

GLASGON



NEWPORT



TEXTURE




GLASGON GS 10702


GLASGON

60.96
× 60.96
cm


Textured Loop




GS 10701-01



GS 10701-02




GS 10701-03




GS 10701-04

+ COLORWAY



GS 10702



GS 10703



GS 10704




Surface Network Electrified.

NEWPORT NP 10603 +NP 10603-Electric


NEWPORT

60.96
× 60.96
cm


Multi-Level Loop




GS 10601-01




GS 10601-02




GS 10601-07




GS 10601-03




GS 10601-08



GS 10601-04




GS 10601-05




GS 10601-06


+ COLORWAY




GS 10601-Crimson




GS 10604




GS 10602




GS 10604-Lemon




GS 10602-Lava




GS 10605



GS 10603



GS 10606



GS 10603-Electric



TEXTURE TX 11402

TEXTURE

60.96
× 60.96
cm

Textured Loop



GS 10401-01




GS 10401-02



GS 10401-03




GS 10401-04



GS 10401-05

+ COLORWAY



GS 10402



GS 10403



GS 10404



GS 10405



GS 10406

SPECIFICATION

Multi-Level Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Textured Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Tip Sheared

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
20oz./yd(700g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

16438 East Valley Blvd,
La Puente CA 91744