



Newspec®

INFINITY DYE™
DIGITAL DYE INJECTION

LOS ANGELES



PALMEIRA



SANTIAGO




LOS ANGELES LA 82929

LOS ANGELES

60.96
× 60.96
cm

Multi-Level Loop


+ COLORWAY




LA 82927-1



LA 82927-2



LA 82927-3



LA 82927-4



LA 82928



LA 82929



LA 82930




LA 82931



LA 82932



PALMEIRA PM 95008




PM 95001

PALMEIRA


60.96
× 60.96
cm

Textured Loop


+ COLORWAY




PM 95008




PM 95007



PM 95005



PM 95004



PM 95002




SANTIAGO ST 97003

SANTIAGO

60.96
× 60.96
cm

Multi-Level Loop



ST 97004

+ COLORWAY



ST 97003



ST 97002



ST 97006

SPECIFICATION

Multi-Level Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Textured Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Tip Sheared

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
20oz./yd(700g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

16438 East Valley Blvd,
La Puente CA 91744