

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764







MILAN

50.00
× 50.00
cm


Multi-Level Loop




ML11062 -01




ML11062 -02




ML11062 -03




ML11062 -04



ML11062 -05




ML11062 -06




ML11062 -07


+ COLORWAY




ML11061




ML11063




ML11065



ML11062



ML11064




ML11066




ROTTERDAM

100
× 100
cm


Multi-Level Loop




RD42025 -01




RD42025 -02




RD42025 -03



RD42025 -04




RD42025 -05




RD42025 -06


+ COLORWAY




RD42025



RD42233



RD42234



RD42235



LOUVRE

100
× 100
cm


Multi-Level Loop



LU13069-01




LU13069-02



LU13069-03



LU13069-04





LU13069-05




LU13069-06


+ COLORWAY



LU13070



LU13069



LU13074



LU13078