




Newspec®

INFINITY DYE™
DIGITAL DYE INJECTION

OURLOVE



NEW OURLOVE





OURLOVE

30.48
× 91.44
cm

Multi-Level Loop

	01	02	03	04	05	06	07	08
Rengas 10001								
Planchonia 10002								
Walnut 10008								
Heavyhopea 10003								
Durian 10005								
Maniltoa 10007								



NEW OURLOVE NO 11703

NEW OURLOVE

30.48
× 91.44
cm

Multi-Level Loop

	01	02	03	04	05	06
NO 11701						
NO 11702						
NO 11703						
NO 11704						
NO 11705						
NO 11706						



Erima 10501





01


Erima 10501-2





02




03




04





05




06





07



08



09




+ COLORWAY


CHARROOM

60.96
× 60.96
cm


Tip Sheared



Shocnea 10502



Shocnea 10502-2




Litsea 10504



Litsea 10504-2



Mengaris 10505



Mengaris 10505-2

SPECIFICATION

Multi-Level Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Textured Loop

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight
19oz./yd(650g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)

Tip Sheared

Dye Method
Digital Dye Injection

Fiber Type
100% Newspec Certified Nylon Type 6

Pile Weight
20oz./yd(700g/m²)

Backing Type
ESC™ Cushion Back
BVT™ Hard Back

Total Thickness
ESC™ Cushion Back 9.5mm
BVT™ Hard Back 7.0mm

Flammability
B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pyrmont Bridge
Road Pyrmont NSW 2009

Newspec US

16438 East Valley Blvd,
La Puente CA 91744