

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pymont Bridge
Road Pymont NSW 2009

Newspec US

2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764








SKYLINE

30.48
× 91.44
cm

Multi-Level Loop



+ COLORWAY







CARAARA

50.00
× 50.00
cm


Multi-Level Loop




CR15177-01




CR15177-02




CR15177-03



CR15177-04




CR15177-05




CR15177-06

+ COLORWAY




CR15177



CR15178




CR15179




CR15180



CR15193



CR15194



CR15195



CR15196



FLORA FO18011/013/015



FLORA FO18012/096/097

FLORA
60.96
× 60.96
cm

Multi-Level Loop

+ COLORWAY



FO18011	-012	-013	-014	-015
-016	-017	-018	-019	-020
-091	-092	-093	-094	-095
-096	-097	-098	-099	-100
-183	-184	-185	-186	-187
-188	-189	-190	-191	-192