

SPECIFICATION

Multi-Level Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Textured Loop

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6+Type 6.6

Pile Weight

19oz./yd(650g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)

Tip Sheared

Dye Method

Digital Dye Injection

Fiber Type

100% Newspec Certified Nylon Type 6

Pile Weight

20oz./yd(700g/m²)

Backing Type

ESC™ Cushion Back

BVT™ Hard Back

Total Thickness

ESC™ Cushion Back 9.5mm

BVT™ Hard Back 7.0mm

Flammability

B1(C-st,t0)



Newspec China

399 Yindong South Road,
Binhai Innovation Park,Ningbo

Newspec Australia

Suite C7/1-9 Pymont Bridge
Road Pymont NSW 2009

Newspec US


2930 Inland Empire Blvd.,
Ste 116, Ontario, CA 91764






VERONA
30.48
× 91.44
cm


Tip Sheared




+ COLORWAY




VR28145



VR28146



VR28144




VR28143




WELLS
50.00
× 50.00
cm


Tip Sheared




WS20201-01




WS20201-02



WS20201-03




WS20201-04




WS20201-05



WS20201-06



WS20201-07




WS20201-08


+ COLORWAY



WS20147




WS20104




WS20102



WS20148



WS20103



WS20201







BETHLE BT43200

BETHLE
50.00
× 50.00
cm


Multi-Level Loop




BE43213 -01



BE43213 -02



BE43213 -03




BE43213 -04

+ COLORWAY



BE43200



BE43201



BE43207



BE43208



BE43213



BE43214



BETHLE BE43213